

Safety Data Sheet

according to 29 CFR 1910.1200(g)

ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 2 of 5

4. First-aid measures

Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After ingestion

Water.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

Specific hazards arising from the chemical

Can be released in case of fire:

Carbon dioxide (CO₂).

Nitrogen oxides (NO_x).

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Large quantities remove mechanically

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid oil mist

Direct contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Recommended storage temperature: 5-40 °C

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 3 of 5

Maximum period of storage (time): 3 Jahr

8. Exposure controls/personal protection**Control parameters****Exposure controls****Protective and hygiene measures**

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Set out skin protection guidelines.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Paste
Color:	yellow brown
Odor:	characteristic

Test method

pH-Value (at 20 °C):

Changes in the physical state

Flash point:	250 °C	DIN EN 57
Ignition temperature:	320 °C	ASTM E 659
Density (at 20 °C):	1 g/cm ³	ASTM D 1298
Water solubility: (at 20 °C)	insoluble	
Viscosity / kinematic: (at 40 °C)		ASTM D 7042

10. Stability and reactivity**Conditions to avoid**

heat.

Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

Hazardous decomposition products

Hazardous decomposition products:

11. Toxicological information**Information on toxicological effects****Additional information on tests**

No risks worthy of mention. Practical experience.

The classification was undertaken in accordance with the calculation method governed by the Preparations

Safety Data Sheet

according to 29 CFR 1910.1200(g)

ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 4 of 5

Directive (1999/45/EC).

12. Ecological information

Mobility in soil

in delivery condition: solid

13. Disposal considerations

Waste treatment methods

14. Transport information

Marine transport (IMDG)

UN number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alkanes, C14-17, chloro; chlorinated paraffins, C14-17)
Transport hazard class(es): 9
Packing group: III
 Hazard label: 9



Limited quantity: 5 kg
 Excepted quantity: E1
 EmS: F-A, S-F

Air transport (ICAO)

UN number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alkanes, C14-17, chloro; chlorinated paraffins, C14-17)
Transport hazard class(es): 9
Packing group: III
 Hazard label: 9



Limited quantity Passenger: 30 kg G
 Passenger LQ: Y956
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 956
 IATA-max. quantity - Passenger: 400 kg
 IATA-packing instructions - Cargo: 956
 IATA-max. quantity - Cargo: 400 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: alkanes, C14-17, chloro; chlorinated paraffins, C14-17

Safety Data Sheet

according to 29 CFR 1910.1200(g)

ECONO 897 Allround - Paste

Print date: 15.08.2016

Product code: 32

Page 5 of 5

15. Regulatory information**U.S. Regulations****State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**


This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information**Hazardous Materials Information Label (HMIS)**

Health: 2
Flammability: 0
Physical Hazard: 0

NFPA Hazard Ratings

Health: 2
Flammability: 0
Reactivity: 0
Unique Hazard:

**Changes**

Revision date: 15.08.2016

Revision No: 1,03

This data sheet contains changes from the previous version in section(s): 3.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)