

SAFETY DATA SHEET

1. Product Identification

Product name	Quick Cure – 5 Minute, Part A	
SDS Number	1000A000	
Product type	Epoxy polymer mixture	
Recommended use of the chemical and restrictions on use	Directed at, but not limited to, the adhesion of similar and dissimilar substrates.	
Restrictions	None known.	
Manufacturer/Supplier information		
Company name	SYSTEM THREE RESINS, INC.	
Address	8517 Commerce Place Dr NE Lacey, WA 98516 United States	
Telephone	1-253-333-8118	
Website	www.systemthree.com	
Email	support@systemthree.com	
Emergency Contact	CHEMTEL (U.S. and CANADA) CHEMTEL (Outside the U.S.) – Call collect accepted	1-800-704-9215 +1-360-256-7365

2. Hazard(s) Identification

Classification of substance or mixture/Signal Word	WARNING Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Eye Irritation - Category 2 Skin Sensitization - Category 1 Specific Target Organ Toxicity (Single Exposure) [Respiratory tract irritation] – Category 3
<u>GHS Label Elements</u> Hazard Pictograms	
Hazard Statements/Classification of	H315 Causes skin irritation.
substance or mixture	H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
Precautionary statements	
Precautionary Statements	
Prevention	P280 Wear protective gloves. Wear eye or face protection.
	P201 Obtain special instructions before use.
	P271 Use only outdoors or in a well-ventilated area.
	P264 Wash hands thoroughly after handling.
Response	P304 + 340 IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P313 Call a POISON CENTER or doctor/physician if you feel unwell.

	P302+352+363 IF ON SKIN: Wash with soap and water. Take off
	contaminated clothing and wash before reuse.
	P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses if present and easy to do. Continue rinsing.
Storage	P401 Store at room temperature in a well-ventilated area.
Disposal	P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified (HNOC)

None Available.

3. Composition/Information On Ingredients

Chemical Name	CAS Number	Content (%)
Diglycidyl Ether of Bisphenol A	25068-38-6	90-100%
Diglycidyl Ether of Bisphenol F	28064-14-4	1-10%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First-Aid Measures

Skin contact	Remove contaminated clothing and shoes and wipe excess off skin. Flush skin with water. Follow by washing in soap and water. If irritation occurs, seek medical attention. Do not reuse clothing until cleaned. Contaminated leather articles (shoes) cannot be decontaminated and should be destroyed.	
Eye contact	Flush with water for 15 minutes holding eye lids open. Seek medical attention.	
Ingestion	Do not give liquids if victim is unconscious of very drowsy. Otherwise, give no more than 2 glasses of water and induce vomiting by giving 2 tablespoons syrup of ipecac (1 tablespoon and 1 glass of water for child). If ipecac is unavailable, give 2 glasses of water and induce vomiting by touching finger to back of throat. Keep head below hips while vomiting. Get medical attention.	
Inhalation	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptoms as they appear. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	No specific treatment.	

5. Fire-Fighting Measures

Suitable extinguishing media	Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical Water Fog
Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous decomposition products	None known. Potential skin irritation. Epoxy in mass can create exotherm. Decomposition products may include the following materials: Carbon dioxide Carbon monoxide
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire- fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Further information	Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental Release Measures

Personal precautions	Wear proper personal protective equipment (PPE). Avoid direct contact with material. Proper PPE includes: disposable gloves, eye protection and skin protection.
Emergency procedures	If materials is spilled, avoid contact with material. Persons not wearing appropriate protective equipment should leave the area of the spill until cleanup is complete.
Methods and materials for containment/cleanup	Stop spill at source, dike area to prevent spreading, pump liquid to salvage tank or drum. Remaining liquid may be taken up on clay, diatomaceous earth, sawdust or other absorbent, and shoveled into disposal container.
Environmental precautions	Avoid dispersal of spilled material, contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

7. Handling and Storage

Precautions for safe handling	Put on appropriate personal protective equipment. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid contact with skin and eyes. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. When using, do not eat, drink or smoke. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Precautions/Recommendations for safe/proper storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits	None established.
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Use appropriate containment to avoid environmental contamination. Do not allow spill to enter sewers or waterways.

Individual protection measures/Personal
protective equipment

Splash-proof goggles or safety spectacles with side shields are recommended. Always wear eye protection when sanding cured epoxy resins to avoid dust in eyes.
Always wear impervious gloves: butyl rubber, nitrile rubber, Neoprene, PVC disposable gloves,
Wear clean, body-covering clothing to avoid skin contact.
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Wear gloves at all times when handling product, avoid direct contact with skin. When finished using product, dispose of gloves properly and wash hands with warm, soapy water.

Chemical family	Epoxy Resin
Appearance	Clear viscous liquid
Physical State	Epoxy polymer mixture
Form	Liquid
Color	Water clear
Odor	Little or no odor
Density (Specific Gravity)	9.5-9.7 lb/gal (1.1-1.2)
Viscosity	8,000-10,000 cps @ 25°C
рН	Data not available
Melting point/freezing point	Data not available
Initial boiling point and boiling range	Data not available
Flash point	>300°F, Pensky-Martens Closed Cup
Evaporation rate	Slower than ether
Flammability (solid, gas)	Data not available
Upper/lower flammability limit (by volume)	
Upper flammability limit (by volume)	N/A
Lower flammability limit (by volume)	N/A
Material VOC	None
Vapor density	Heavier than air
Relative density	Not determined
Solubility in water	Negligible, in water
Partition coefficient: n-octanol/water	3
Auto-ignition temperature	300°C (572.00°F)
Decomposition temperature	Data not available

9. Physical and Chemical Properties

10.Stability and Reactivity

Reactivity Chemical Stability Possibility of hazardous reactions	None Stable under normal conditions. Hazardous polymerization will not occur.
Conditions to avoid	Epoxy resins and epoxy resin hardeners react with each other producing heat. They should not be mixed with each other under uncontrolled conditions or in large mass as the ensuing exotherm may result in heat and smoke, resulting in hazardous decomposition products.
Incompatible materials	Strong oxidizing agents, Lewis and mineral acids.
Hazardous decomposition products	Oxides of carbon, aldehydes, acids.
Other hazards	None known.

11. Toxicological Information

Acute Health Hazard (components) No comprehensive data (ingestion, inhalation, dermal) on mixture (product).

Component	Result	Species	Dose	Exposure
Diglycidyl Ether of Bisphenol A	LD50 Oral	Rat	11,400 mg/kg	-
	LD50 Dermal	Rat	2,000 mg/kg	-

Irritation/Corrosion (components)

Skin – Erythema/Eschar 404 Acute Dermal Irritation/Corrosion	Rabbit	1.5 – 2	-
	1		
Skin – Edema 404 Acute Dermal Irritation/Corrosion	Rabbit	1.0 - 1.5	-
Eyes – 405 Acute Eye Irritation/Corrosion	Rabbit	0	-
Eyes – Redness of the conjunctivae	Rabbit	0.7	-
Skin – Moderate irritant	Rabbit		24 hrs
Eyes – Mild irritant	Rabbit		-
	Dermal Irritation/Corrosion yes – 405 Acute Eye rritation/Corrosion yes – Redness of the onjunctivae kin – Moderate irritant yes – Mild irritant	Dermal Irritation/Corrosionyes – 405 Acute EyeRabbitrritation/Corrosionrespectiveyes – Redness of the onjunctivaeRabbitkin – Moderate irritantRabbityes – Mild irritantRabbit	Dermal Irritation/CorrosionRabbityes – 405 Acute Eye rritation/CorrosionRabbit0yes – Redness of the onjunctivaeRabbit0.7kin – Moderate irritantRabbit0

Mutagenicity No information on product itself. **Carcinogenicity** No information on product itself. **Reproductive Toxicity** No information on product itself. No information on product itself.

Teratogenicity

Specific target organ toxicity (single No information on product itself.

<u>exposure)</u>					
Component	Category	Route of exposure	Target organs		
Diglycidyl Ether of Bisphenol A	Category 3		Respiratory tract irritation		
Diglycidyl Ether of Bisphenol F	Category 3		Respiratory tract irritation		

Specific target organ toxicity (repeated exposure) **Aspiration hazard**

Not available.

Not available.

Potential acute health effects	
Eye Contact	Causes serious eye irritation.
Inhalation	May cause respiratory irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Irritating to mouth, throat and stomach.
Symptoms related to the physical, chemical and toxicological characteristics	
Eye Contact	Adverse symptoms may include the following: Pain or irritation Watering Redness
Inhalation	Adverse symptoms may include the following: Respiratory tract irritation Coughing
Skin Contact	Adverse symptoms may include the following: Irritation Redness
Ingestion	No specific data.
<u>Delayed and immediate effects and also</u> <u>chronic effects from short and long term</u> <u>exposure</u> <u>Potential chronic health effects</u>	Not available.
General	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

12. Ecological Information

Ecotoxicity

No information on product itself.

Result	Species	Exposure
Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity Test	Fish – Fish	96 h
Acute EC50 2.1 mg/I – 202 Daphnia sp. Acute Immobilization Test and Reproduction Test	Aquatic invertebrates. Water flea	48 h
Acute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction Test	Aquatic invertebrates. Water flea	21 d
Acute LC50 > 11 mg/l	Aquatic plants – Algae	72 h
	Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity Test Acute EC50 2.1 mg/l – 202 Daphnia sp. Acute Immobilization Test and Reproduction Test Acute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction Test	Acute LC50 1.3 mg/l – 203 Fish, Acute Toxicity TestFish – FishAcute EC50 2.1 mg/l – 202 Daphnia sp. Acute Immobilization Test and Reproduction TestAquatic invertebrates. Water fleaAcute NOEC 0.3 mg/l – 211 Daphnia Magna Reproduction TestAquatic invertebrates. Water flea

nation on product itse

Bioaccumulative Potential

No information	on	product	itself.
----------------	----	---------	---------

Component	LogPow	BCF	Potential
Diglycidyl Ether of Bisphenol A	2.64 – 3.78	3 - 31 31.00	low

Diglycidyl Ether of Bisphenol F	3		-	low
Mobility in Soil				
Soil/water partition coefficient (KOC) No information on product itself.				
Other adverse effects		No known significant effects or critical hazards.		

13. Disposal Considerations

Waste from residues/ unused products	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Product should not be allowed to enter drains, water courses or the soil; dispose of this material and its containers in a safe way. Contact supplier if guidance is required.
Contaminated packaging	Dispose of container and unused contents in accordance with federal, state and local requirements.

14.Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International Tra	nsport Regulations			
Regulatory information	UN/NA number	Proper Shipping Name	Classes/*PG	Additional Information
DOT		Non-regulated		
TDG		Non-regulated		
IMO/IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN)	Class 9 III	
ΙΑΤΑ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPICHLOROHYDRIN RESIN)	Class 9 III	
*PG: Packing grou	ıp			
Special precautio	ns for user:	Transport within user's premises: alway upright and secure. Ensure that person do in the event of an accident or spillag	s transporting the pr	

15. Regulatory Information

UNITED STATES	
U.S. Federal Regulations	United States – TSCA 12(b) – Chemical export notification: None Required. United States – TSCA 5(a)2 – Final significant new use rules: Not Listed. United States – TSCA 5(a)2 – Proposed significant new use rules: Not Listed. United States – TSCA 5(e) – Substance consent order: Not listed.
California Prop. 65	WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains less than

1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	Cancer		Reproductive	No significant risk level	Maximum acceptable dosage level
Oxirane, 2-(phenoxymethyl)-	Yes		No	5 μg/day	No
Oxirane, 2-(chloromethyl)-	Yes		Yes	9 μg/day	No
EPA SARA 302 Extremely H Substances EPA SARA 302/304/311/31 Chemicals United States inventory (TS	2 Hazardous	Acute	required. Health Hazard. nponents are listed o	r exempted.	
CANADA					
WHMIS (Canada)		Class D-2B: Material causing other toxic effects (Toxic).			
Canadian NPRI CEPA Toxic substances		None Required None Required			
INTERNATIONAL REGULATIONS	5				
International Lists		 Australia inventory (AICS): All components are listed or exempted. Canada inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. Japan inventory: All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. New Zealand inventory (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted. 			

16. Other Information, Including Date of Preparation or Last Revision

HMIS Rating		
	Health 2 Flammability 1 Physical Hazard 0	
Date of Preparation		January 9, 2020
Date of Last Revision		September 24, 2019
Revision #		5.0
More Information		1-253-333-8118
Prepared by		System Three Resins Inc.

The information contained herein is based on the data available to us and is believed to be correct. However, System Three Resins, Inc. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. System Three assumes no responsibility for injury from the use of the product described herein.